

**Jenks Fire & Rescue
Physical Ability Test
Candidate Score Sheet**

EVENT	Description	Fail	Pass
#1 Stepmill	20 second warmup @ 50 steps a minute. Test is 3 minutes @ 60 steps a minute. Remove 25 pounds after test.		
#2 Hose drag	Extend a 200' uncharged hose line		
#3 Equipment carry	Carry two tools similar in weight to rescue saws 150' (30 lbs. each)		
#4 Ladder raise and extension	Raise and extend a 24' ladder		
#5 Forcible entry	Drive Prop 36" using sledgehammer		
#6 Search	Must crawl through a maze 64'		
#7 Rescue	Drag a 165 pound dummy 70'		
#8 Ceiling breach and pull	Four sets of: 3 push/5 pulls		

Must pass all steps to be eligible to move on in the hiring process

All distances between props based on IAFF CPAP test criteria
Candidate will wear 50lb weight vest throughout course.

Maximum Time Allowed for passing test
10 minutes 20 seconds

Check one:

- The candidate has failed the PAT and is not eligible to retest this hiring cycle.
- The candidate has passed the PAT and is eligible to move on in the hiring process.

Candidate

Time

We the undersigned have read the Physical/Agility Test requirements for fire service candidates. We have witnessed the foregoing agility test and herby certify the candidate has Passed/Failed the agility test.

Witness: _____
Employed By: _____
Position: _____

Witness: _____
Employed By: _____
Position: _____

)
State of Oklahoma) SS.
County of _____)

The foregoing instrument was acknowledged before me this _____ day of _____
by _____.
My commission expires _____ Notary Public _____